


FLOODLIGHT 100DEG






| | EAN | l x w x h [mm] | W | V _{AC} | Hz | lm | lm/W | K |
|-------------------------------------|---------------|----------------|-----|-----------------|---------|-------|------|------|
| FLOOD LED 10W/3000K BK 100DEG IP65 | 4058075097360 | 125x115x39 | 10 | 220-240V | 50/60Hz | 1050 | 105 | 3000 |
| FLOOD LED 10W/3000K WT 100DEG IP65 | 4058075097384 | 125x115x39 | 10 | 220-240V | 50/60Hz | 1050 | 105 | 3000 |
| FLOOD LED 10W/4000K BK 100DEG IP65 | 4058075097407 | 125x115x39 | 10 | 220-240V | 50/60Hz | 1100 | 110 | 4000 |
| FLOOD LED 10W/4000K WT 100DEG IP65 | 4058075097421 | 125x115x39 | 10 | 220-240V | 50/60Hz | 1100 | 110 | 4000 |
| FLOOD LED 20W/3000K BK 100DEG IP65 | 4058075097445 | 130x140x41 | 20 | 220-240V | 50/60Hz | 2100 | 105 | 3000 |
| FLOOD LED 20W/3000K WT 100DEG IP65 | 4058075097469 | 130x140x41 | 20 | 220-240V | 50/60Hz | 2100 | 105 | 3000 |
| FLOOD LED 20W/4000K BK 100DEG IP65 | 4058075097483 | 130x140x41 | 20 | 220-240V | 50/60Hz | 2200 | 110 | 4000 |
| FLOOD LED 20W/4000K WT 100DEG IP65 | 4058075097506 | 130x140x41 | 20 | 220-240V | 50/60Hz | 2200 | 110 | 4000 |
| FLOOD LED 20W/6500K BK 100DEG IP65 | 4058075097520 | 130x140x41 | 20 | 220-240V | 50/60Hz | 2200 | 110 | 6500 |
| FLOOD LED 20W/6500K WT 100DEG IP65 | 4058075097544 | 130x140x41 | 20 | 220-240V | 50/60Hz | 2200 | 110 | 6500 |
| FLOOD LED 30W/3000K BK 100DEG IP65 | 4058075251366 | 140x150x42 | 30 | 220-240V | 50/60Hz | 3150 | 105 | 3000 |
| FLOOD LED 30W/3000K WT 100DEG IP65 | 4058075251427 | 140x150x42 | 30 | 220-240V | 50/60Hz | 3150 | 105 | 3000 |
| FLOOD LED 30W/4000K BK 100DEG IP65 | 4058075251380 | 140x150x42 | 30 | 220-240V | 50/60Hz | 3300 | 110 | 4000 |
| FLOOD LED 30W/4000K WT 100DEG IP65 | 4058075251441 | 140x150x42 | 30 | 220-240V | 50/60Hz | 3300 | 110 | 4000 |
| FLOOD LED 30W/6500K BK 100DEG IP65 | 4058075251403 | 140x150x42 | 30 | 220-240V | 50/60Hz | 3300 | 110 | 6500 |
| FLOOD LED 30W/6500K WT 100DEG IP65 | 4058075251465 | 140x150x42 | 30 | 220-240V | 50/60Hz | 3300 | 110 | 6500 |
| FLOOD LED 50W/3000K BK 100DEG IP65 | 4058075097568 | 155x180x46 | 50 | 220-240V | 50/60Hz | 5250 | 105 | 3000 |
| FLOOD LED 50W/3000K WT 100DEG IP65 | 4058075097582 | 155x180x46 | 50 | 220-240V | 50/60Hz | 5250 | 105 | 3000 |
| FLOOD LED 50W/4000K BK 100DEG IP65 | 4058075097605 | 155x180x46 | 50 | 220-240V | 50/60Hz | 5500 | 110 | 4000 |
| FLOOD LED 50W/4000K WT 100DEG IP65 | 4058075097629 | 155x180x46 | 50 | 220-240V | 50/60Hz | 5500 | 110 | 4000 |
| FLOOD LED 50W/6500K BK 100DEG IP65 | 4058075097643 | 155x180x46 | 50 | 220-240V | 50/60Hz | 5500 | 110 | 6500 |
| FLOOD LED 50W/6500K WT 100DEG IP65 | 4058075097667 | 155x180x46 | 50 | 220-240V | 50/60Hz | 5500 | 110 | 6500 |
| FLOOD LED 70W/3000K BK 100DEG IP65 | 4058075352131 | 250x240x70 | 70 | 220-240V | 50/60Hz | 7300 | 105 | 3000 |
| FLOOD LED 70W/4000K BK 100DEG IP65 | 4058075251342 | 250x240x70 | 70 | 220-240V | 50/60Hz | 7700 | 110 | 4000 |
| FLOOD LED 70W/4000K WT 100DEG IP65 | 4058075251359 | 250x240x70 | 70 | 220-240V | 50/60Hz | 7700 | 110 | 6500 |
| FLOOD LED 90W/3000K BK 100DEG IP65 | 4058075352148 | 250x240x70 | 90 | 220-240V | 50/60Hz | 9400 | 105 | 3000 |
| FLOOD LED 90W/4000K BK 100DEG IP65 | 4058075097681 | 250x240x70 | 90 | 220-240V | 50/60Hz | 10000 | 110 | 4000 |
| FLOOD LED 90W/6500K BK 100DEG IP65 | 4058075097698 | 250x240x70 | 90 | 220-240V | 50/60Hz | 10000 | 110 | 6500 |
| FLOOD LED 135W/3000K BK 100DEG IP65 | 4058075352155 | 300x270x76 | 135 | 220-240V | 50/60Hz | 14100 | 105 | 3000 |
| FLOOD LED 135W/4000K BK 100DEG IP65 | 4058075097704 | 300x270x76 | 135 | 220-240V | 50/60Hz | 15000 | 110 | 4000 |
| FLOOD LED 135W/6500K BK 100DEG IP65 | 4058075097711 | 300x270x76 | 135 | 220-240V | 50/60Hz | 15000 | 110 | 6500 |
| FLOOD LED 180W/3000K BK 100DEG IP65 | 4058075352162 | 340x310x81 | 180 | 220-240V | 50/60Hz | 18900 | 105 | 3000 |
| FLOOD LED 180W/4000K BK 100DEG IP65 | 4058075097728 | 340x310x81 | 180 | 220-240V | 50/60Hz | 20000 | 110 | 4000 |
| FLOOD LED 180W/6500K BK 100DEG IP65 | 4058075097735 | 340x310x81 | 180 | 220-240V | 50/60Hz | 20000 | 110 | 6500 |












FLOODLIGHT 100DEG








| | EAN | IP | IK | ∠ | R _a | Temp. (°C) | PF | ⚙️ |
|-------------------------------------|---------------|----|----|------|----------------|------------|-------|--------|
| FLOOD LED 10W/3000K BK 100DEG IP65 | 4058075097360 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.4 kg |
| FLOOD LED 10W/3000K WT 100DEG IP65 | 4058075097384 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.4 kg |
| FLOOD LED 10W/4000K BK 100DEG IP65 | 4058075097407 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.4 kg |
| FLOOD LED 10W/4000K WT 100DEG IP65 | 4058075097421 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.4 kg |
| FLOOD LED 20W/3000K BK 100DEG IP65 | 4058075097445 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 20W/3000K WT 100DEG IP65 | 4058075097469 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 20W/4000K BK 100DEG IP65 | 4058075097483 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 20W/4000K WT 100DEG IP65 | 4058075097506 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 20W/6500K BK 100DEG IP65 | 4058075097520 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 20W/6500K WT 100DEG IP65 | 4058075097544 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 30W/3000K BK 100DEG IP65 | 4058075251366 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 30W/3000K WT 100DEG IP65 | 4058075251427 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 30W/4000K BK 100DEG IP65 | 4058075251380 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 30W/4000K WT 100DEG IP65 | 4058075251441 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 30W/6500K BK 100DEG IP65 | 4058075251403 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 30W/6500K WT 100DEG IP65 | 4058075251465 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.6 kg |
| FLOOD LED 50W/3000K BK 100DEG IP65 | 4058075097568 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.9 kg |
| FLOOD LED 50W/3000K WT 100DEG IP65 | 4058075097582 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.9 kg |
| FLOOD LED 50W/4000K BK 100DEG IP65 | 4058075097605 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.9 kg |
| FLOOD LED 50W/4000K WT 100DEG IP65 | 4058075097629 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.9 kg |
| FLOOD LED 50W/6500K BK 100DEG IP65 | 4058075097643 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.9 kg |
| FLOOD LED 50W/6500K WT 100DEG IP65 | 4058075097667 | 65 | 07 | 100° | ≥ 80 | -20...+50 | > 0.9 | 0.9 kg |
| FLOOD LED 70W/3000K BK 100DEG IP65 | 4058075352131 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 2.8 kg |
| FLOOD LED 70W/4000K BK 100DEG IP65 | 4058075251342 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 2.8 kg |
| FLOOD LED 70W/6500K BK 100DEG IP65 | 4058075251359 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 2.8 kg |
| FLOOD LED 90W/3000K BK 100DEG IP65 | 4058075352148 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 2.8 kg |
| FLOOD LED 90W/4000K BK 100DEG IP65 | 4058075097681 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 2.8 kg |
| FLOOD LED 90W/6500K BK 100DEG IP65 | 4058075097698 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 2.8 kg |
| FLOOD LED 135W/3000K BK 100DEG IP65 | 4058075352155 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 4.0 kg |
| FLOOD LED 135W/4000K BK 100DEG IP65 | 4058075097704 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 4.0 kg |
| FLOOD LED 135W/6500K BK 100DEG IP65 | 4058075097711 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 4.0 kg |
| FLOOD LED 180W/3000K BK 100DEG IP65 | 4058075352162 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 4.9 kg |
| FLOOD LED 180W/4000K BK 100DEG IP65 | 4058075097728 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 4.9 kg |
| FLOOD LED 180W/6500K BK 100DEG IP65 | 4058075097735 | 65 | 08 | 100° | ≥ 80 | -20...+50 | > 0.9 | 4.9 kg |



| | ⚙️ m² | N |
|------|----------|--------|
| 10W | 0.014 m² | < 5 m |
| 20W | 0.018 m² | < 5 m |
| 30W | 0.021 m² | < 5 m |
| 50W | 0.028 m² | < 5 m |
| 70W | 0.060 m² | < 12 m |
| 90W | 0.060 m² | < 12 m |
| 135W | 0.081 m² | < 12 m |
| 180W | 0.105 m² | < 12 m |





RoHS



C10449057
G11084102
03.09.19



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com